

CLIGen Manual

CLIGen version 3.4

Olof Hagsand

September, 2013

Contents

1	Introduction	3
2	Command syntax	4
2.1	Keywords	4
2.2	Runtime behaviour	5
2.3	Help texts	6
2.4	Callbacks	6
2.5	Assignments	7
2.6	Local assignments	7
2.7	Global assignments	7
2.8	Tree references	8
3	Variables	8
3.1	String	8
3.2	Number	9
3.3	Addresses	9
3.4	Uuid	10
3.5	Time	10
3.6	Boolean	10
3.7	Keyword	10
3.8	Choice	10
3.9	Expand	11
3.10	Regular expressions	12
4	Operators	12
4.1	Choice and grouping	12
4.2	Optional elements	13
5	API	13
5.1	CLIGen variables	13
5.2	Initializing	15
5.3	Parsing syntax files	15
5.4	Global variables	16
5.5	Command loop	16

6	Advanced API	17
6.1	Writing a callback function	17
6.2	Registering callbacks	18
6.3	Completion	19
7	Installation	20




Figure 1: *CLIgen usage: a designer implements a CLI by specifying the syntax in a specification file and the CLI source code using the CLIgen API.*

1 Introduction

CLIgen builds interactive syntax-driven *command-line interfaces* in C from a high-level syntax specification. Interactive CLIs are often used in communication devices such as routers and switches. However, any devices with a textual, syntax-driven, command-based interface can use CLIgen to make CLI programming easy.

CLIgen takes a syntax specification as input, generates a tree representation of the syntax, and provides an interactive command-line tool with completion, help, modes, etc.

A designer formulates the command-line syntax and writes callback functions in C to implement the semantics of the commands.

A good starting point is the hello world example with a simple syntax specification ("hello world") and a callback with a print statement, which produces the following CLI executable:

```

> ./cligen_hello
hello> hello world
Hello World!
hello>
  
```

The complete `cligen_hello` C application is included in the source code distribution.

Figure 1 shows a typical workflow when working with CLIgen. A designer specifies the CLI syntax by editing a CLIgen specification file and writing a C-program. When users access the CLI at runtime, the specification file is loaded and the CLI uses the API of the CLIgen library to interpret the commands.

An example of a CLIgen specification file of the hello world application is:

```

prompt="hello> "           # Assignment of prompt
hello("Greet the world"){  # 'hello' command with help text
    world, cb("Hello World!"); # 'world' command with callback
}
  
```

The specification above shows examples of the following key ingredients of a specification:

- *Command syntax* specifies the syntax of the actual commands, and are the main part of a specification. The command syntax is fully described in Section 2.
- *Callbacks* are functions called when a command has been entered by a user. You may specify an argument to a callback. Callbacks are a part of the API described in Section 5.
- *Assignments* are used to set properties of the CLI and its commands, such as prompts, modes authorization, visibility, etc. Assignments are either global or per-command.
- *Help text* provides help text for individual commands.
- *Comments* begin with the '#' sign.

The following sections will describe all aspects of designing CLIGen application. Programming using the CLIGen API in C is described in Section 5.

2 Command syntax

The command syntax consists of a combination of keywords, variables and operators:

- *Keywords* are constant strings representing fixed command words.
- *Variables* are placeholders for user-defined input.
- *Operators* are used to combine keywords and variables in different ways. Operators include 'choice', 'option', 'sequence', etc. Operators are further described in Section 4.

For example, the command syntax `ip tcp <int>`; have two keywords: `ip`, and `tcp` and one variable: `<int>`. They are combined in a *sequence*, that is, the CLI expects them to be typed one after the other.

2.1 Keywords

The simplest syntax consists only of keywords. Such a syntax can be specified as follows:

```
aa bb{
  ca;
  cb;{
    dd;
    ee;
  }
}
```

A CLI loaded with the specification above accepts the following strings as input:

```
aa bb ca
aa bb cb
aa bb cb dd
aa bb cb ee
ff
```

Note the following:

- Newlines are not significant, except after comments. This means that another way of specifying the syntax above is: `aa bb{ca;cb;{dd;ee;}}ff;.`
- Keywords specified one after another is a sequence. Example: `aa bb;.` An alternative of expressing the same syntax is: `aa{bb;}`
- Semicolon terminates a complete command. This means that `aa bb cb` is accepted as a complete command, but not `aa bb` in the syntax above.
- Semicolons also act as a choice, you can choose either `dd` or `ee` in the syntax above.
- Keywords can also be specified using variables: `<string keyword:aa>`, there are some advantages with this which may get apparent when programming using the API (see Section 5).
- The syntax above can be written in a more compact way, such as `aa bb (ca|cb [dd|ee]);ff;.` This is described more in Section 4

2.2 Runtime behaviour

A CLI with the syntax above will present the user with a list of commands. On the top-level, only `aa` or `bb` may be chosen when a question mark is entered:

```
> '?'
aa
gg
```

If the user prints an `'a'`, followed by a `'TAB'`, the CLI performs completion to `aa` since there is only one alternative:

```
> a'TAB'
> aa 'TAB'
> aa bb 'TAB'
> aa bb c'TAB'
ca                cb
> aa bb c
```

In the example, two more `TAB`s are entered, one for each command level and completion continues until the commands are not unique. In the last `TAB`, the CLI shows the available commands (`ca` and `cb`).

As long as a command is unique it is not necessary to complete the whole string. For example, the following two strings are equivalent from the CLIs perspective:

```
> aa bb cb dd
> a b cb d
```

Before finishing a command (with return), a unique command must be selected. The CLI gives an error code if the command is unknown, ambiguous or incomplete:

```
> a
CLI syntax error in: "a": Incomplete command
> aa bb c
CLI syntax error in: "aa bb c": Ambiguous command
> aa bb dd
CLI syntax error in: "aa bb dd": Unknown command
```

2.3 Help texts

Help texts are given within parenthesis following a keyword or variable. The help text appears when you invoke the help command '?' in the CLI runtime.

For example, assume the following syntax:

```
ip("The IP protocol"){
  udp("The UDP protocol") <ipaddr>("IPv4 address");
  tcp("The TCP protocol") <int>("Port number");
}
```

If a user has typed 'ip ' and '?', the following help text appears:

```
cli> ip '?'
tcp                The TCP protocol
udp                The UDP protocol
```

2.4 Callbacks

When a unique command has been selected, a callback may be called. Callbacks are typically associated with commands using the file syntax:

```
aa bb{
  ca,fn1("ca");
  cb,fn1("cb");{
    dd,fn2();
    ee,fn3((int)42);
  }
}
```

In the example, the function `fn1` is called with "ca" as argument if `aa bb ca`, is selected. The same function is called also if `aa bb cb` is selected, but with another argument. For other commands, `fn2` is called without argument, and `fn3` is called with the integer argument 42.

Note that callbacks may only be associated with terminal commands. For example, `aa bb` may not have a callback function.

The details on how to write callback functions, such as `fn1 - fn3` is described in detail in Section 5.

2.5 Assignments

You can assign values to *global* and *local* variables. Global variables are valid for the whole syntax, while local variables only apply to a single command.

2.6 Local assignments

At this point, there are two pre-defined local variables:

- `hide` specifies that a command is not visible when listing or completing commands with `'?'` and `'TAB'`. Still, the command is selectable and may be selected if you type it. This can be useful if there are commands that should be known only by expert users.
- `auth.` defines authorization level the user should have to be able to use the command.

In the following example, `aa bb ca` is not visible, whereas `aa bb cb` and `aa bb cb dd` are only shown if the user has `show commands` privileges.

```
aa bb{
  ca,hide;
  cb,auth="show";{
    dd,auth="show";
    ee;
  }
}
```

2.7 Global assignments

Typical examples of global variables are `comment`, `prompt` and `mode`. Technically, they are not predefined but are easy to implement and the first two are supported by the tutorial application. We already saw an example of the usage of `prompt` in the hello world example in Section 1.

Here is another example of two specifications in two separate files which are loaded into the same CLI:

Spec1:

```
prompt="m1> ";
comment="%";
mode="mode1";
change mode,mode("mode2");
```

Spec2:

```
prompt="m2> ";
comment="!";
```

```
mode="mode2";
change mode,mode("mode1");
```

The syntax specifies two different modes with different prompts, both with a single command (`change mode`) which simply changes mode. The `comment` variable specifies which character identifies a comment in the CLI¹

An example run of this CLI is:

```
m1> '% this is a comment'
m1> 'change mode'
m2> '?'
      change
m2>
```

Note that the `mode` callback needs to be implemented as a callback function in C to actually change the syntax mode, see Section 5.

2.8 Tree references

A syntax may reference another sub-tree, or even itself (recursion), using the 'reference operator '@'.

The following specification references itself:

```
name="T";
foo;
recurse @T;
```

which means that the following sentences are valid commands:

```
foo
recurse foo
recurse recurse foo
recurse recusrse recurse foo
```

and so on.

3 Variables

Variables are placeholders for user input. They also give support for limited lexical checking. The `number` type, for example, only accepts integers, while `string` accepts any sequence of characters. Variables have names and types, and can be composed into more advanced constructions.

3.1 String

The simplest form of a string specification is: `<string>`, which defines a string variable with the name 'string'.

¹Note that this separate from a comment in a CLIgen *specification*.

A more advanced string variable specification is the following:

```
address <addr:string>("Address to home");
```

where the name of the string variable is `addr`. The name can be used when referring to the variable in a callback, and is also used in the help text:

```
cli> address '?'
      addr           Address to home
```

A string may contain all characters with some minor exceptions. Most notably, a string can not contain a question mark, since it is used for querying syntax in the CLI. Also, if a string contains spaces, it must be contained within double quotes. The following examples are all valid strings:

```
i_am_a_string
()/&#
"I am a string"
ab"d
```

A variant of string is `rest` which accepts all characters until the end-of-line.

3.2 Number

The `number` variable allows any 32-bit integer, and can be specified in decimal or hex format.

Examples:

```
<age:number>
<age:number range [18:999]>
```

The second form only accepts integers in the specified range, such as: "77" and "0x20".

A variant of number is `long` which is a 64-bit integer.

3.3 Addresses

CLiGen is often used in communication devices. Therefore, there is support for several pre-defined address types. Special lexical checking is defined for those types:

- `ipv4addr` - An IPv4 address in dotted decimal notation. Example: 1.2.3.4
- `ipv4prefix` - An IPv4 prefix in 'slash' notation: Example: 1.2.3.0/24
- `ipv6addr` - An IPv6 address. Example: 2001::56
- `ipv6prefix` - An IPv6 prefix. Example: 2001:647::/64
- `macaddr` - A MAC address: Example: 00:E0:81:B4:40:7A
- `url` - An URL: Example: <http://www.hagsand.se/cligen>

CLIGen performs lexical checking of the address variables, an invalid address is considered as a syntax error.

3.4 Uuid

A variable of type `uuid` accepts uuid according to standard syntax, such as `f47ac10b-58cc-4372-a567-0e02b2c3d479`.

3.5 Time

A `time` variable accepts ISO timestamps on the form

```
2008-09-21T18:57:21.003456
2008-09-21 18:57:21.003456
2008-09-21 18:57:21
```

3.6 Boolean

A variable of `bool` type accepts the values `true`, `false`, `on` and `off`.

3.7 Keyword

A keyword variable is just an alternative way of specifying command keywords as defined in Section 2. In fact, a syntax with static keywords can just as well be written using keyword variables.

Thus, for example, the two specification lines below are equivalent:

```
aa bb;
<aa:string keyword:aa> <bb:string keyword:bb>;
```

However, a keyword variable can have another name:

```
<myname:string keyword:aa>;
```

Naming of keywords provides for more flexible search functions in callbacks, see Section 5.

Note that a keyword must be of type `string`.

3.8 Choice

The choice variable can take the value from a static list of elements.

Example:

```
interface <ifname:string choice:eth0|eth1>("Interface name")
```

A CLI user will get the following choice:

```
cli> interface '?'
    eth0      Interface name
    eth1      Interface name
cli>
```

The user can only select `eth0` or `eth1`, and thus the value of the `ifname` variable is either `eth0` or `eth1`.

Note the resemblance with choice of strings in Section 4 where the same example could be specified as:

```
interface (eth0|eth1)
```

Again, the former variant allows for naming of the variable which can be better when writing a callback function. In the example, the name of the variable in the first example is `ifname` whereas in the second it is *either* `eth0` or `eth1`.

3.9 Expand

The choice variable specifies a static list of keywords. But what if the list is dynamic and changes over time?

The expansion variable is a *dynamic* list of keywords, where the list may be different each time the CLI command is invoked.

For example, assume a user can select a network interface in the CLI, but the number of interfaces changes all the time. This can be specified as follows:

```
interface <ifname:string interfaces(">("Interface name")
```

The user's choice in the CLI will then be just as in the choice case:

```
cli> interface '?'
    eth0      Interface name
    eth1      Interface name
cli>
```

However, at another point in time, the choice of interfaces may be different:

```
cli> interface '?'
    eth3      Interface name
    lo0       Interface name
cli>
```

There is one catch here: the CLI needs to know in run-time the members of the list. That is, the list members cannot be specified in the syntax. In CLIGen, the application programmer defines a C callback function, `interfaces()` in this example, which computes the list at the time it is needed. This callback is registered and called whenever necessary.

How to write an expand callback is further described in Section 6.3.

3.10 Regular expressions

A string variable may be described using a regular expression. That is, a regular expression defines which values are valid.

For example, a variable may be specified as:

```
<name:string regexp:"(ab|a)b*c">;
<name:string regexp:"[a-z]+[0-8]+\.[0-9]">;
```

The first rule matches the following strings, for example:

```
ac
abc
abbbbbbbbc
```

CLigen uses POSIX Extended regular expression syntax.

4 Operators

In the regular syntax format, there are (implicit) sequence and choices. For example, the syntax

```
aa bb;
cc;
```

defines a choice between the sequence `aa bb` and `cc`.

It is also possible to explicitly define choices, optional elements and syntactical groupings.

4.1 Choice and grouping

Explicit choice between several elements can be made as follows:

```
(aa bb) | cc;
```

which expresses the same syntax as above.

Help strings work as usual, but may *not* be associated with groupings:

```
aa (bb("help b") cc("help c") | dd("help d"));
```

Choices may also be made with variables:

```
values (<int> | <string> | <long> | aa);
```

where a pattern matching is made selecting to try to select the most 'specific' variable. For example, the following input will give different matchings:

- `aa` selects the keyword.
- `bb` selects `<string>`.
- `42` selects `<int>`.
- `324683276487326` selects `<long>`.

4.2 Optional elements

It is also possible to express an *optional* part of a syntax using brackets:

```
aa [[bb] cc];
```

which accepts the commands: `aa`, `aa bb` and `aa bb cc`.

Any combination of these operations are possible, such as in the line:

```
aa [[(bb|cc <int>)] dd] ee;
```

Note that the elaborate command specifications above can be combined in a regular syntax, at parsing they are just expanded into a larger syntax tree. Thus for example, the syntax:

```
aa bb (ca("help ca")|cb("help cb")) [dd|ee];
```

is equivalent to:

```
aa bb{
  ca("help ca");{
    dd;
    ee;
  }
  cb("help cb");{
    dd;
    ee;
  }
}
```

which is similar to the syntax used in Section 2.

5 API

This section describes C-programming issues, including types, parsing and callbacks.

Appendix A contains a complete program illustrating many of the topics of this tutorial. More advanced applications can be found in the CLGen source repository.

5.1 CLGen variables

Variables in the command syntax (such as `<string>`) described in Sections 3 and 2.5 are translated in runtime into *CLGen variables* using the `cg_var` datatype. A CLGen variables is sometimes referred to as a *cv*.

A *cv* is a handle and its values are accessed using `get/set` accessors. Two generic fields are `name` and `type`, other fields are accessed via type-specific accessors (see next Section).

Example: get name and type of cligen variable:

```
char *name          = cv_name_get(cv);
enum cv_type type = cv_type_get(cv);
```

5.1.1 Types

CLIGen variables have a simple type-system, essentially following the types introduced in Section 3. Each cv type have get/set operators to access and modify the value.

For example, a command syntax contains `<addr:ipv4addr>`, and the user inputs "12.34.56.78". The CLI will then generate a cv which can be accessed in C. The string "12.34.56.78" is accessed with:

```
struct in_addr addr = cv_ipv4addr_get(cv);
```

Accessors for other types are shown in the table below. There may be several fields for a given type. These are given in the table with the corresponding C-type.

Type	Accessor	C-type
number	<code>cv_int_get()</code>	int32
long	<code>cv_long_get()</code>	int64
bool	<code>cv_bool_get()</code>	char
string	<code>cv_string_get()</code>	char*
ipv4addr	<code>cv_ipv4addr_get()</code>	struct in_addr
ipv4prefix	<code>cv_ipv4addr_get()</code> <code>var_ipv4masklen_get()</code>	struct in_addr uint8
ipv6addr	<code>cv_ipv6addr_get()</code>	struct in6_addr
ipv6prefix	<code>cv_ipv6addr_get()</code> <code>var_ipv6masklen_get()</code>	struct in6_addr uint8
macaddr	<code>cv_mac_get()</code>	char[6]
uuid	<code>cv_uuid_get()</code>	char[16]
time	<code>cv_time_get()</code>	struct timeval
url	<code>cv_urlproto_get()</code>	char*
	<code>cv_urladdr_get()</code>	char*
	<code>cv_urlpath_get()</code>	char*
	<code>cv_urluser_get()</code>	char*
	<code>cv_urlpasswd_get()</code>	char*

You may also access a value with an unspecified type using:

```
void *v = cv_value_get(cv);
```

5.1.2 Cligen variable vectors

Variables are grouped into vectors whose using `cvec`. Global variables or variables passed to callback functions are always grouped into `cvec` structures.

5.1.3 Finding variables in a vector

Suppose for example that you have the following command syntax:

```
person [male|female] (<age:number>|<name:string>)
```

A `cvec` is accessed using a handle. Typically an iterator is used to access the individual `cv`:s within a vector:

```
cvec *vr;
cg_var *cv = NULL;
while ((cv = cvec_each(vr, cv)) != NULL) {
    str = cv_name_get(cv);
}
```

You can also access the variables individually if you know their order, in this example the 3rd element:

```
cvec *vr;
cg_var *cv = cvec_i(cv, 2);
```

A way to find variables using their names is as follows:

```
cg_var *cv = cvec_find(vars, "age");
```

Actually, keywords are also a part of variable vectors. This means that they can also be accessed via their name, although the name of the keyword is the same as its constant value, as described in Section 3.7.

Therefore, you can also check whether a keyword exists or not. Using the same example:

```
if (cvec_find(vars, "male") != NULL)
    printf("male\n");
```

where the conditional evaluates to true only if the user has selected `male` and not `female`.

5.2 Initializing

An application calls the `CLigen` `init` function to initialize the `CLigen` library. The function returns a `handle` which is used in most `CLigen` API functions.

In the following example, `CLigen` is initialized, a prompt is set, and is then terminated:

```
cligen_handle h = cligen_init();
cligen_prompt_set(h, "cli> ");
[...]
cligen_exit(h);
```

5.3 Parsing syntax files

The command syntax as described in Sections 2-4 normally resides in a file which is loaded and parsed by the CLI. The result of the parsing is a parse-tree and a list of global variable assignment. After parsing, the program needs to interpret the result and set up the CLI environment. This includes handling global variable assignments, mapping function callbacks, etc.

Most non-trivial programs handle many syntaxes that are merged into a common parse-tree, while others partition parse-trees into different modes.

An example of parsing syntax file `mysyntax.cli` is the following:

```

cligen_handle h;
FILE          *f;
parse_tree   pt;
varrec       globals;

h = cligen_init();
f = fopen("mysyntax.cli");
cligen_parse_file(h, f, "mysyntax", &pt, &globals) < 0)
cligen_tree_add(h, "mymode", pt);
cligen_mode_set(h, "mymode");

```

The example code initiates a handle, opens the syntax file, parses the syntax into the parsetree `pt` and a list of global variable assignments in `globals`. It also registers the parse tree and sets it to be the active mode used in the CLI.

The next step is to handle the global variables and to bind callback functions.

5.4 Global variables

In the example, the `global` variable contains the list of global CLIgen variables. In the following example, the prompt and comment sign are found in the list:

```

char *prompt;
char *comment;

prompt = cvec_find_str(globals, "prompt");
if ((comment = cvec_find_str(globals, "comment")) != NULL)
    cligen_comment_set(comment[0]);

```

In the example above, there are two further examples of CLIgen API library calls:

- `cvec_find_str` a specialization of `cvec_find` described in Section 5.1.3 finds the value of a string variable. Note that the prompt needs to be sent along with `cligen_eval` as described in Section 5.5.
- `cligen_comment_set` sets the comment character in the CLI.

In this way a programmer may define the semantics of global variables by binding their value to actions.

5.5 Command loop

When the syntax is specified, a simple command loop is written to process commands and call loopbacks. Example:


```
for (;;) {
    retval = cliread_eval(h, &line, &ret);
```

The return value of the `cliread_eval` function is as follows:

- `CG_EOF`: end-of-file
- `CG_ERROR`: CLigen read or matching error, typically if the syntax is not well-defined.
- `CG_NOMATCH`: No match, the input line did not match the syntax. By calling `cligen_nomatch(h)`, the reason for why no match was made is retrieved.
- `CG_MATCH`: Match, the line matched exactly one syntactic node. The variable `ret` contains the return value of the callback (if any).
- `> 1`: Multiple matches, the line matched several syntax lines.

6 Advanced API

6.1 Writing a callback function

A programmer may write a callback function for every complete command defined in the command syntax. Such a callback is then called every time a user types that command in the CLI.

An example of CLigen callback function from the example in Section 1 with the command syntax `hello world,cb("hello");` is:

```
int
cb(clihandle h, cvec *vars, cg_var *arg)
{
    printf("%s\n", arg->var_string);
    return 0;
}
```

The callback returns zero if everything is OK, and `-1` on error. The arguments of a callback function are:

- `handle` - CLigen handle created by a call to `cligen_init`. The handle is used if the callback makes API calls to CLigen, such as changing prompt, parse-tree, etc.
- `vars` - The command line as a list of CLigen variables. Both keys and variables are included in the list.
- `arg` - A single CLigen variable declared in the command syntax.

Regarding a more advanced command syntax from Section 5.1.3:

```
person [male|female] (<age:number>|<name:string>),cb("person");
```

and an CLI input command such as:

```
cli> person male 67
```

The cliGen variable vector `vars` has four elements and can be accessed via iteration or via the `cvec_i()` function:

1. The complete command string: `person male 67`.
2. The is a CLIgen string variable containing the keyword `person`.
3. The keyword `male`.
4. A CLIgen integer variable containing `67`.

The `arg` argument contains the function argument in the command syntax: `person`.

By using the values in the argument and variable vector, the callback can perform actions by calling CLIgen API functions. In those functions, the handle `h` is usually required and used to make global changes.

6.2 Registering callbacks

A typical syntax contains callback references, such as the following:

```
hello world, callback("arg");
```

The parse-tree created in Section 5.3 contains the function names as strings which need to be mapped to function pointers. This is a typical issue with the C programming language. The problem is essentially the same as finding functions in a symbol-table. Note that this mapping is not a part of CLIgen itself but needs to be made by the application.

There are many ways to solve this issue, including using dynamic libraries and making a lookup in real-time using `dl_open`, `mmap`, or similar C library functions. This is actually the preferred option, the other approaches described here are not as good.

The simplest way used in this tutorial is to map all callbacks to the same function:

```
cliGen_callback_register(pt, callback);
```

It is then up to `callback` to determine in which context it was called using its arguments.

A better way is to map each callback specified to a different function. This can be made by defining a function that maps between function name strings and actual functions and calling a mapping function, for example:

```
cg_fnstype_t *
mapper(char *name, void *arg, char **error)
{
    *error = NULL;
    if (strcmp(name, "callback") == 0)
        return callback;
    return callback; /* allow any function (for testing) */
}
```

```
cligen_callback_str2fn(pt, mapper, NULL);
```

6.2.1 Multiple callbacks

Several callbacks may be associated with a syntax. Example:

```
hello world, callback("arg"), extra();
hello world, extra2();
```

In this case, all three functions: `callback`, `extra` and `extra2` are called, one after the other.

6.3 Completion

If expand variables (see Section 3.9) are used, the application defines a callback to fill in the elements of the dynamic list. Such a callback is invoked every time the CLI asks for a command containing the corresponding expand variable. That is, the callback may be invoked when a user types a question mark or a TAB as well.

The following example shows the expand function `expand_ifname`. It is registered before the main loop and supplies a list of pointers to strings, in this example a list of interfaces. The example returns a static list of interfaces: "eth0" and "eth1", a real example would dynamically get the list of interfaces. If the helptexts are not given, the helptext in the specification is used.

```
int
expand_ifname((cligen_handle h, char *name, cvec *vars, cg_var *arg,
              int *nr, char ***commands, char ***helptext)
{
    *commands = calloc(2, sizeof(char*));
    *comments = calloc(2, sizeof(char*));
    (*commands)[0] = strdup("eth0");
    (*helptext)[0] = strdup("The 1st interface");
    (*commands)[1] = strdup("eth1");
    (*helptext)[1] = strdup("The second interface");

    *nr = 2;
    return 0;
}

main()
{
    [...]
    cligen_parse_file(h, f, "mysyntax", &pt, &globals) < 0)
    if (cligen_expand_register(pt, expand_ifname) < 0)
        return -1;
    [...]
}
```

In other words, as soon as the user selects a line containing the variable `interfaces`, `expand_ifname()` will be called. Therefore, be careful to avoid blocking calls within the callbacks since this may make the CLI less interactive.

7 Installation

CLigen is easiest installed from github. Just clone the source, configure it and type `make`, and try the tutorial program:

```
> git clone https://github.com/olofhagsand/cligen.git
> cd cligen
> ./configure
> make
> sudo make install
> ./cligen_tutorial -f tutorial.cli
hello>
```

CLigen can be installed on a variety of platforms using `configure`. Installation installs library and include files in the system. It is also possible to install library only (or include-files only) using `make install-lib` (or `make install-include`).

Some configure options are:

- `--prefix` Change root installation directory. Default is `/usr/local`.
- `--with-cc` Change C-compiler.
- `--with-copt` Set C-compiler options. Default is `-O2`.
- `--with-cflags` Set C-compiler flags. Default is `-Wall -Werror -x c`.

Appendix A: Tutorial command syntax

This appendix contains an example command syntax. Most of it has appeared in the tutorial. This example is found in the file `tutorial.cli` in the source release.

```
# This file is part of CLIGen.
# $Id: cligen_tutorial.tex,v 1.27 2013/07/02 05:47:50 olof Exp $
# Copyright (C) 2011-2013 Olof Hagsand

prompt="hello> ";          # Assignment of prompt
comment="#"";             # Same comment as in syntax
namer="tutor";            # Name of syntax (used when referencing)
hello("Greet the world"){ # 'hello' command with help text
    world, hello("Hello World!"); # 'world' command with callback
}
# Nested command using callback arguments to differentiate
ip("The IP protocol"){
    tcp("The TCP protocol") <int>("Port number"), cb("tcp");
    udp("The UDP protocol") <ipaddr>("IPv4 address"), cb("udp");
}
# Example of commands on several levels
aa bb,cb();{
    ff,cb();
}
# Example of complex variable matching
values (<int> | <string> | <long> | aa), cb();
# Complex syntax and callback argument handling
aa bb (ca("help ca") <int>|cb("help cb")) [dd|ee], letters();
# Expand example
interface {
    <ifname:string interface(>),cb();
}
# Example of hidden command
secret,hide,secret("message");
# Example of changing prompt
change prompt <new:string>("New prompt"),setprompt();

# Example of sub-tree reference (here recursion).
recurse @tutorial;

# Quit CLI
quit("quit the CLI"),quit();
```

Appendix B: API functions

This appendix contains a list of cligen API functions. There are several more which may be found in examples and include files.

`cvec cvec_new (int len)`

Create and initialize a new cligen variable vector (cvec)

`cligen_handle cligen_init(void)`

This is the first call the CLigen API and returns a handle.

`int cligen_exit(cligen_handle h)`

This is the last call to the CLigen API

`int cligen_comment_set(cligen_handle h, char c)`

Set comment character.

`int cligen_prompt_set(cligen_handle h, char *prompt)`

Set CLigen prompt string.

`parse_tree *cligen_tree(cligen_handle h, char *name)`

Get a parsetree, if name==NULL, return first parse-tree

`int cligen_tree_add(cligen_handle h, char *name, parse_tree pt)`

Add a new parsetree

`char* cligen_tree_active(cligen_handle h)`

Get name of currently active parsetree.

`int cligen_tree_active_set(cligen_handle h, char *treename)`

Set currently active parsetree by name.

`int cligen_completion(cligen_handle h)`

Get completion mode. 0: complete 1 level. 1: complete all

`int cligen_completion_set(cligen_handle h, int mode)`

Set completion mode. 0: complete 1 level. 1: complete all

`int cligen_terminalrows(cligen_handle h)`

Get number of displayed terminal rows.

`int cligen_terminalrows_set(cligen_handle h, int rows)`

Set number of displayed terminal rows.

`int cligen_terminal_length(cligen_handle h)`

Get length of lines (number of 'columns' in a line).

`int cligen_terminal_length_set(cligen_handle h, int length)`

Set length of lines (number of 'columns' in a line).

`int cligen_tabmode(cligen_handle h)`

Get tab-mode. 0 is short/ios mode, 1 is long/junos mode.

`int cligen_tabmode_set(cligen_handle h, int mode)`

Set tab-mode, 0 is short/ios mode, 1 is long/junos mode.

`int cligen_lexicalorder(cligen_handle h)`

Get lexical matching order: strcmp (0) or strverscmp (1).

`int cligen_lexicalorder_set(cligen_handle h, int n)/*!`

Set lexical matching order: strcmp (0) or strverscmp (1).

```

int cligen_ignorecase(cligen_handle h)
Ignore uppercase/lowercase or not

int cligen_ignorecase_set(cligen_handle h, int n)
Ignore uppercase/lowercase or not

int cligen_userhandle_set(cligen_handle h, void *userhandle);
Set app-specific handle for callbacks instead of cligen handle

int cligen_logsyntax_set(cligen_handle h, int n) Debug syntax by printing dy-
namically on stderr. Get function.

cvec *cvec_new(int len)
Create and initialize a new cligen variable vector (cvec)

int cvec_free(cvec *vr)
Free a cvec

int cvec_init(cvec *vr, int len)
Initialize a cligen variable vector (cvec) with 'len' numbers of variables.

int cvec_reset(cvec *vr)
Like cvec_free but does not actually free the cvec.

cg_var *cvec_next(cvec *vr, cg_var *cv0)
Given an cv in a cligen variable vector (cvec) return the next cv.

cg_var *cvec_add(cvec *vr, enum cv_type type)
Append a new cligen variable (cv) to cligen variable vector (cvec) and return
it.

int cvec_del(cvec *vr, cg_var *del)
Delete a cv variable from a cvec. Note: cv is not reset and may be stale!

int cvec_len(cvec *vr)
return length of a cvec.

cg_var *cvec_i(cvec *vr, int i)
return i:th element of cligen variable vector cvec.

cg_var *cvec_each(cvec *vr, cg_var *prev)/*!
Iterate through all cligen variables in a cvec list

cg_var *cvec_each1(cvec *vr, cg_var *prev)
Like cvec_each but skip element 0.

cvec *cvec_dup(cvec *old)
Create a new cvec by copying from an original

int cvec_match(cg_obj *co_match, char *cmd, cvec *vr)
Create cv list by matching a CLiGen parse-tree and an input string.

int cvec_start(char *cmd)
Create a cv list with a single string element.

int cvec_print(FILE *f, cvec *vr)
Pretty print cligen variable list to a file

cg_var *cvec_find(cvec *vr, char *name)
Return first cv in a cvec matching a name

cg_var *cvec_find_var(cvec *vr, char *name)
Like cvec_find, but only search non-keywords

```

```

cg_var *cvec_find_keyword(cvec *vr, char *name)
Like cvec_find, but only search keywords

char *cvec_find_str(cvec *vr, char *name)
Typed version of cvec_find that returns the string value.

int cv_exclude_keys(int status)
Changes cvec find function behaviour, exclude keywords or include them.

int cligen_output(FILE *f, char *template, ... )
CLIGen output function. All output should be made via this function.

void cligen_susp_hook(cligen_handle h, int (*fn)(void *h, char *, int, int
*))
Register a suspend (Z) function hook

void cligen_exitchar_add(cligen_handle h, char c)
Register extra exit characters (in addition to ctrl-c)

int cligen_help(FILE *f, parse_tree pt)
Print top-level help (all commands) of a parse-tree

int cov_print(cg_obj *co, char *cmd, int len, int brief)
Print the syntax specification of a variable syntax spec

int cligen_print(FILE *f, parse_tree pt, int brief)
Print CLIGen parse-tree to file, brief or detailed.

int cliread_eval(cligen_handle h, char **line, int *cb_retval)
Read line from terminal, parse the string, and invoke callbacks.

int cligen_parse_str(cligen_handle h, char *str, char *name, parse_tree *pt,
cvec *vr)
Parse a string containing a CLIGen spec into a parse-tree

int cligen_parse_file(cligen_handle h, FILE *f, char *name, parse_tree *pt,
cvec *globals)
Parse a file containing a CLIGen spec into a parse-tree

int cligen_callback_register(parse_tree pt, cg_fnstype_t *fn)
Register (same) callback for all commands in a syntax.

int cligen_callback_str2fn(parse_tree pt, cg_str2fn_t *str2fn, void *fnarg)
Register callback for commands using callback function

char *cv_name_get(cg_var *cv)
Get name of cligen variable cv

char *cv_name_set(cg_var *cv, char *s0)
allocate new string from original. Free previous string if existing.

enum cv_type cv_type_get(cg_var *cv)
Get cv type

void *cv_value_get(cg_var *cv)
Get value of cv without specific type set

<char cv_bool_get(cg_var *cv)
Get boolean value of cv

int32_t cv_int_get(cg_var *cv)
Get integer value of cv

```

```
int64_t cv_long_get(cg_var *cv)
Get 64-bit integer value of cv

char *cv_string_get(cg_var *cv)
Get pointer to cv string.

char *cv_string_set(cg_var *cv, char *s0)
allocate new string from original. Free previous string if existing.

struct in_addr *cv_ipv4addr_get(cg_var *cv)
Get ipv4addr, pointer returned, can be used to set value.

uint8_t cv_ipv4masklen_get(cg_var *cv)
Get ipv4addr length of cv

struct in6_addr *cv_ipv6addr_get(cg_var *cv)
Get ipv6addr, pointer returned, can be used to set value.

uint8_t cv_ipv6masklen_get(cg_var *cv)
Get ipv6addr length of cv

char *cv_mac_get(cg_var *cv)
Returns a pointer to 6-byte mac-address array.

unsigned char *cv_uuid_get(cg_var *cv)
Returns a pointer to uuid byte array.

struct timeval cv_time_get(cg_var *cv)
Returns a struct timeval by value.

char *cv_urlproto_get(cg_var *cv)
Get pointer to URL proto string.

char *cv_urladdr_get(cg_var *cv)
Get pointer to URL address string.

char *cv_urlpath_get(cg_var *cv)
Get pointer to URL path string.

char *cv_urluser_get(cg_var *cv)
Get pointer to URL user string.

char *cv_urlpasswd_get(cg_var *cv)
Get pointer to URL passwd string.

enum cv_type cv_str2type(char *str)
Translate (parse) a string to a CV type.

char *cv_type2str(enum cv_type type)/*!
Translate (print) a cv type to a static string.

int cv_len(cg_var *cv)
Return length of cligen variable value (as encoded in binary)

int cv2str(cg_var *cv, char *str, size_t size)
Print value of CLigen variable using printf style formats.

char *cv2str_dup(cg_var *cv)
Like cv2str, but allocate a string with right length.

int cv_print(FILE *f, cg_var *cv)
Pretty print cligen variable value to a file
```

```
int cv_parse1(char *str0, cg_var *cv, char **reason)/*!  
parse cv from string.  
  
cv_validate(cg_var *cv, cg_varspec *cs, char **reason)  
Validate cliGen variable cv using the spec in cs.  
  
int cv_cmp(cg_var *cgv1, cg_var *cgv2)  
Compare two cv:s  
  
int cv_cp(cg_var *new, cg_var *old)  
Copy from one cv to a new cv.  
  
cg_var *cv_dup(cg_var *old)  
Create a new cgV and copy the contents from the original.  
  
cg_var *cv_new(enum cv_type type)  
Create new cliGen variable.  
  
int cv_reset(cg_var *cgv)  
Free pointers and resets a single CLiGen variable cv  
  
int cv_free(cg_var *cv)  
Free a single CLiGen variable (cv) AND frees the cv itself  
  
int pt_apply(parse_tree pt, cg_applyfn_t fn, void *arg)  
Apply a function call recursively on all cg_obj:s in a parse-tree.
```

Appendix C: Control sequences

The control sequences of the runtime CLI is as follows:

Control sequence	Action	Comment
?	Help	
Ctrl + A	Go to beginning of line	
Ctrl + B	One char backwards	
Ctrl + C	Exit CLI	Add extra w <code>cligen_exitchar_add()</code> .
Ctrl + D	End-of-file.	Exit if at beginning of line
Ctrl + E	Goto end of line	
Ctrl + F	One char forward	
Ctrl + H	Erase previous character	Backspace
Ctrl + I	Auto completion	TAB
Ctrl + K	Erase line after cursor	
Ctrl + L	Redraw line	
Ctrl + N	Move to next line in history	
Ctrl + O	Toggle overwrite mode	
Ctrl + P	Move to previous line in history	
Ctrl + R	Search history list backward	
Ctrl + S	Search history list forward	
Ctrl + T	Transpose character	
Ctrl + U	Erase line before cursor	
Ctrl + W	Erase word backward	
Ctrl + Y	Insert previously deleted text	'yank'
Ctrl + Z	'Suspend'	Register callback: <code>cligen_susp_hook()</code>
Arrow up	Move to previous line in history	
Arrow down	Move to next line in history	
Arrow left	One char backward	
Arrow right	Once char forward	
ESC + F	Move one word forward	
ESC + B	Move one word backward	